All Latham Bump Rails are supplied in 3000mm lengths for site cutting to the required dimensions. The quantity of end caps, and external corners where available, should be calculated and ordered with the bump rail section.

For fixing/installation details contact Latham Australia.


Bump Rails


Type BR-150/200

The Latham BR-150 and BR-200 Series Bump Rail offers maximum protection for walls in most applications, offering protection from wheeled traffic like wheelchairs, beds, carts and trolleys.


The high impact textured cover snuggly fits over the continuous aluminum retainer incorporating the specially designed impact absorbing strips, which absorb impacts and help to spread impact loads over a further distance reducing the shock on the wall fixing.

The system should be considered for use in conjunction with CG Series Corner Guards, HR and HBR Series Hand/Bump Rails and WS Series Wall Sheeting.









The system is offered in 4 colours

hazy grey almond beige violet snow white

0, 1, 11, 11, 2000

Standard Specifications

Standard length is 3000mm.


Type BR-50


The Latham BR-50 Bump Rail offers protection for walls in most applications, offering protection from wheeled traffic like wheelchairs, beds, carts and trolleys. The high impact textured cover snuggly fits over the continuous retainer, which absorbs impacts.

The system should be considered for use in conjunction with CG Series Corner Guards, HR Series Hand Rails and WS Series Wall Sheeting.

End caps are available with the system.







Type BR-50
Bump Rail in saphire blue

The system is offered in 5 colours

hazy grey almond beige violet saphire blue blue grey

Standard length is 3000mm.

Standard Specifications

Type BR-25


The Latham BR-25 Bump Rail is the baby of the range. This 25mm sleek smooth finish bump rail is available in cool grey and jet black colours. The BR-25 offers safety for pedestrian traffic through corridors etc whilst doubling as a bump rail for wheeled traffic like wheelchairs, beds, carts and trolleys.

The system should be considered for use in conjunction with CG Series Corner Guards, HR and HBR Series Hand/Bump Rails and WS Series Wall Sheeting.


End caps and external corners are available with the system.

Base Impact — High Impact Textured Cover Profile





Type BR-25 EC End Cap



The system is offered in 2 colours

cool grey jet black

Standard Specifications

Standard length is 3000mm.

The functional Solution

Latham Hand Rails, Hand/Bump Rails, Illuminated Hand/Bump Rails, Bump Rails, Corner Guards, and Wall Protection Sheeting are designed to provide a simple aesthetically appealing, functional solution for locations where traffic movement may be expected to cause scuffing and damage to walls and corners.

Usage examples include hospitals, schools, restaurants, offices, nursing homes, shops, passenger check in areas, hotels etc.

The textured finish that is on all the sections (excluding the BR-25) provides a hard wearing, scuff & scratch resistant replaceable finish to compliment modern designs.



Luminance Reflective Value

Each of the 7 samples shown indicate the approximate colour and the Luminance Reflective Value (LRV) for the Latham Wall Protection Systems product range.



Snow White LVR 82



Almond Beige LVR 50



Hazy Grey LVR 21



Violet LVR 19



Sapphire Blue LVR 7



Pine Green LVR 7



Blue Grey LVR 19